

Agnes Rooke 10/694,847

STIC

05/09/2005..

=> d his

(FILE 'HOME' ENTERED AT 07:57:37 ON 09 MAY 2005)

FILE 'REGISTRY' ENTERED AT 07:59:07 ON 09 MAY 2005

L1 1 S KISVSYDNFALVDYLVFERTKSDTD/SQSP
L2 3 S [FKCDE'ORN'].S.S..NF...[DCEFK'ORN']Y.V.E...S..D/SQSP
L3 2 S L2 NOT L1

FILE 'HCAPLUS' ENTERED AT 08:02:16 ON 09 MAY 2005

L4 1 S L1
L5 1 S L3
L6 1 S L4 OR L5

=> fil reg

FILE REGISTRY ENTERED AT 08:02:48 ON 09 MAY 2005
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2005 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 8 MAY 2005 HIGHEST RN 850006-33-6
DICTIONARY FILE UPDATES: 8 MAY 2005 HIGHEST RN 850006-33-6

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 18, 2005

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

*
* The CA roles and document type information have been removed from *
* the IDE default display format and the ED field has been added, *
* effective March 20, 2005. A new display format, IDERL, is now *
* available and contains the CA role and document type information. *
*

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more
information enter HELP PROP at an arrow prompt in the file or refer
to the file summary sheet on the web at:
<http://www.cas.org/ONLINE/DBSS/registryss.html>

=> que 11

L1 1 SEA FILE=REGISTRY ABB=ON PLU=ON KISVSYDNFALVDYLVFERTKSDTD/SQS
P

L> seq Att. A (seq ID 3)

=> d que 13

L1 1 SEA FILE=REGISTRY ABB=ON PLU=ON KISVSYDNFALVDYLVFERTKSDTD/SQS
P

L2 3 SEA FILE=REGISTRY ABB=ON PLU=ON [FKCDE'ORN'].S.S..NF...[DCEFK
'ORN']Y.V.E...S..D/SQSP

L3 2 SEA FILE=REGISTRY ABB=ON PLU=ON L2 NOT L1

L> seq ATT. B

=> d sqide3 11

L1 ANSWER 1 OF 1 REGISTRY COPYRIGHT 2005 ACS on STN
RN 216485-06-2 REGISTRY
CN L-Aspartic acid, L-lysyl-L-isoleucyl-L-seryl-L-valyl-L-seryl-L-tyrosyl-L-
α-aspartyl-L-asparaginyl-L-phenylalanyl-L-alanyl-L-leucyl-L-valyl-L-
α-aspartyl-D-tyrosyl-L-leucyl-L-valyl-L-phenylalanyl-L-α-
glutamyl-L-arginyl-L-threonyl-L-lysyl-L-seryl-L-α-aspartyl-L-
threonyl-, (13-16)-lactam (9CI) (CA INDEX NAME)
FS PROTEIN SEQUENCE; STEREOSEARCH
SQL 25

NTE

type	location	description
bridge	Lys-1 - Asp-13	lactam
stereo	Tyr-14 -	D

SEQ3 1 Lys-Ile-Ser-Val-Ser-Tyr-Asp-Asn-Phe-Ala-
 ===
 11 Leu-Val-Asp-Tyr-Leu-Val-Phe-Glu-Arg-Thr-
 ===
 21 Lys-Ser-Asp-Thr-Asp
 ===

HITS AT: 1-25

MF C132 H199 N31 O43

SR CA

LC STN Files: CA, CAPLUS, USPATFULL

DT.CA Cplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); USES (Uses)

Absolute stereochemistry.

PAGE 1-B


0

PAGE 2-A


HO₂C

HO


PAGE 2-B




PAGE 2-C



PAGE 2-D



PAGE 3-B



PAGE 3-D

CO₂H O

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

=> d sqide3 13 1-2

L3 ANSWER 1 OF 2 REGISTRY COPYRIGHT 2005 ACS on STN
RN 216485-10-8 REGISTRY
CN L-Aspartic acid, L-lysyl-L-isoleucyl-L-seryl-L-valyl-L-seryl-L-tyrosyl-L-
α-glutamyl-L-asparaginyl-L-phenylalanyl-L-alanyl-L-leucyl-L-valyl-L-
α-aspartyl-D-tyrosyl-L-leucyl-L-valyl-L-phenylalanyl-L-α-
glutamyl-L-lysyl-L-threonyl-L-lysyl-L-seryl-L-α-aspartyl-L-threonyl-
, (7-19)-lactam (9CI) (CA INDEX NAME)
FS PROTEIN SEQUENCE; STEREOSEARCH
SQL 25
NTE

type	location	description
bridge	Glu-7 - Lys-19	lactam
stereo	Tyr-14 -	D

SEQ3 1 Lys-Ile-Ser-Val-Ser-Tyr-Glu-Asn-Phe-Ala-
===
11 Leu-Val-Asp-Tyr-Leu-Val-Phe-Glu-Lys-Thr-
===
21 Lys-Ser-Asp-Thr-Asp
===

HITS AT: 1-25

RELATED SEQUENCES AVAILABLE WITH SEQLINK

MF C133 H201 N29 O43
SR CA
LC STN Files: CA, CAPLUS, USPATFULL
DT.CA CAplus document type: Patent
RL.P Roles from patents: BIOL (Biological study); USES (Uses)
1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 2 OF 2 REGISTRY COPYRIGHT 2005 ACS on STN
RN 216485-08-4 REGISTRY
CN L-Aspartic acid, L-lysyl-L-isoleucyl-L-seryl-L-valyl-L-seryl-L-tyrosyl-L-
α-glutamyl-L-asparaginyl-L-phenylalanyl-L-alanyl-L-leucyl-L-valyl-L-
α-aspartyl-D-tyrosyl-L-leucyl-L-valyl-L-phenylalanyl-L-α-
glutamyl-L-lysyl-L-threonyl-L-lysyl-L-seryl-L-α-aspartyl-L-threonyl-
, (13-16), (7-19)-dilactam (9CI) (CA INDEX NAME)
FS PROTEIN SEQUENCE; STEREOSEARCH
SQL 25
NTE

type	-----	location	-----	description
bridge	Lys-1	-	Asp-13	lactam
bridge	Glu-7	-	Lys-19	lactam
stereo	Tyr-14	-		D

SEQ3 1 Lys-Ile-Ser-Val-Ser-Tyr-Glu-Asn-Phe-Ala-
 ===
 11 Leu-Val-Asp-Tyr-Leu-Val-Phe-Glu-Lys-Thr-
 ===
 21 Lys-Ser-Asp-Thr-Asp
 ===

HITS AT: 1-25

****RELATED SEQUENCES AVAILABLE WITH SEQLINK****

MF C133 H199 N29 O42

SR CA

LC STN Files: CA, CAPLUS, USPATFULL

DT.CA CAplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); USES (Uses)

1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

=> fil hcaplus

FILE 'HCAPLUS' ENTERED AT 08:03:31 ON 09 MAY 2005

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 9 May 2005 VOL 142 ISS 20

FILE LAST UPDATED: 8 May 2005 (20050508/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

'OBI' IS DEFAULT SEARCH FIELD FOR 'HCAPLUS' FILE

=> d que 16

L1 1 SEA FILE=REGISTRY ABB=ON PLU=ON KISVSYDNFALVDYLVFERTKSDTD/SQS
 P

L2 3 SEA FILE=REGISTRY ABB=ON PLU=ON [FKCDE'ORN'].S.S..NF...[DCEFK
 'ORN']Y.V.E...S..D/SQSP

L3 2 SEA FILE=REGISTRY ABB=ON PLU=ON L2 NOT L1
 L4 1 SEA FILE=HCAPLUS ABB=ON PLU=ON L1
 L5 1 SEA FILE=HCAPLUS ABB=ON PLU=ON L3
 L6 1 SEA FILE=HCAPLUS ABB=ON PLU=ON L4 OR L5

=> d .ca 16

L6 ANSWER 1 OF 1 HCAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER: 1998:806680 HCAPLUS

DOCUMENT NUMBER: 130:25353

TITLE: Synthesis of thrombin-inhibiting peptide for use in treating blood-clotting disorders.

INVENTOR(S): Noeske-Jungblut, Christiane; Egner, Ursula; Donner, Peter; Schleuning, Wolf-dieter; Bode, Wolfram; Prior, Pablo Fuentes ✓

PATENT ASSIGNEE(S): Schering A.-G., Germany

SOURCE: PCT Int. Appl., 18 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9855506	A2	19981210	WO 1998-EP3356	19980605
WO 9855506	A3	19990304		
W: JP, US				
RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
DE 19724791	A1	19981210	DE 1997-19724791	19970606
EP 983301	A2	20000308	EP 1998-932121	19980605
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				
JP 2002506432	T2	20020226	JP 1999-501526	19980605
US 2004147442	A1	20040729	US 2003-694847	20031029
PRIORITY APPLN. INFO.: DE 1997-19724791 A 19970606				
WO 1998-EP3356 W 19980605				
US 2000-445214 B3 20000503				

OTHER SOURCE(S): MARPAT 130:25353

ED Entered STN: 24 Dec 1998

GI

Y1-X1-Ser-X2-Ser-X3-X4-Asn-Phe-X5-X6-X7-
 Y2-D-Tyr-X8-Val-X9-Glu-X10-X11-X12-Ser-
 X13-X14-Asp

I

AB The invention relates to peptides [(I); Y1, Y2 = Phe, Lys, Cys, Orn, Asp, Glu; X1-14 = random amino acid, which may have a sidechain which can bond with another sidechain forming a cyclic peptide], and to the use of said peptides in the production of medicaments. The invention may be used in treatment of diseases such as thrombosis, unstable angina, arteriosclerosis, recurrence of occlusion of blood vessels following PTCA/PTA or thrombolysis during treatment of heart infarct or prevention of coagulation during hemodialysis. Thus, using Merrifield solid-phase

synthesis techniques, I(Y1, X12 = Lys; Y2, X4, X13 = Asp; X1 = Ile; X2, X7 = Val; X3 = Tyr; X5 = Ala; X6, X8 = Leu; X9 = Phe; X10 = Arg; X11, X14 = Thr) was synthesized, cyclized (Lys 1→Asp 13), and deprotected to give (II). II was tested in an Activated Partial Thromboplastin-Time (APTT) coagulation test, compared with Triabin or Hrudin as coagulation inhibitors (no data).

IC ICM C07K014-00

CC 34-3 (Amino Acids, Peptides, and Proteins)

Section cross-reference(s): 1

IT 216485-06-2 216485-08-4 216485-10-8

RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(synthesis of thrombin-inhibiting peptide for use in treating
blood-clotting disorders)

=>